


Health	1
Flammability	3
Reactivity	0
PPE	B

MATERIAL SAFETY DATA SHEET

RENEW™ AEROSOL



HMIS SYMBOL

NFPA SYMBOL

SECTION 1 - PRODUCT NAME AND COMPANY IDENTIFICATION

Product Name: **RENEW™ Aerosol**
 Chemical Family: Mixture
 Use: Belt dressing.
 Manufacturer/Supplier: Jet-Lube of Canada Ltd.
 3820 - 97 Street
 Edmonton, Alberta
 Canada T6E 5S8
 Phone: (780) 463-7441 Fax: (780) 463-7454
 CCOHS: 1-800-263-8466

Emergency:

CANUTEC Phone: (613) 996-6666 Cellular: *666 TTY/TDD: 1-888-675-6863

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components	Propellant	Saturated Aliphatic Hydrocarbon
CAS No	68476-85-7	110-54-3
Wt. %	10 - 20	60 - 90
OSHA (PEL-TWA)	1000 ppm	50 ppm, skin
ACGIH (TLV-TWA)	1000 ppm	50 ppm
LC50	Not Determined	38,500 (male rat, 4-hr. exposure)
LD50	Not Determined	15,840 mg/kg (oral, 14-day old rat)
Other	N/A	N/A

SECTION 3 - HAZARDS IDENTIFICATION

Route of Entry: Eyes, ingestion, inhalation, skin
 Eyes: May cause transient irritation to eyes.
 Ingestion: Not a typical route of occupational exposure. May cause irritation in the mouth. Vomiting may aspirate into lungs and can cause chemical pneumonia.
 Inhalation: May cause light headedness, giddiness, nausea, headache, dizziness and unconsciousness. Exposure to high vapor concentration may cause central nervous system depression.
 Skin: May cause transient irritation to skin. Possible rash for persons with hypersensitivity.

SECTION 4 - FIRST AID MEASURES

Eyes: Flush with water until all residual material is gone. If irritation persists, seek medical help.
 Ingestion: Do not induce vomiting. Wash out mouth. Contact a physician immediately.
 Inhalation: Remove to fresh air. If respiratory difficulty persists, seek medical help.
 Skin: Remove by wiping or with a waterless hand cleaner, followed by washing with soap and water.

SECTION 5 - FIRE FIGHTING MEASURES

Flammability: Flammable
 Extinguishing Media: Use dry chemicals, foam, halon, or CO₂.
 Flash Point (COC): -21.7°C (-7°F)
 Explosive Properties: LEL - 1.1 % UEL - 7.5 %
 Autoignition Temperature: 225°C (437°F)
 Hazardous Combustion Products: Oxides of carbon, smoke and irritating vapors as products of incomplete combustion.
 Protective Equipment: Self-contained breathing apparatus.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Spillage: Scoop up excess, then wipe down the affected area and pick up residue with diatomaceous earth to avoid a walking hazard.
 Environmental Precautions: Avoid disposal into drains.

SECTION 7 - HANDLING AND STORAGE

Handling Procedures: No special handling precautions necessary. Do not pressurize, cut, heat or weld empty containers.
 Storage Requirements: Store in a cool, well ventilated place.
 Engineering Controls: If user's operation generates vapors or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. Make up air should always be supplied to balance air removed by exhaust ventilation. Ensure eyewash station and safety shower are close to work station.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protection Equipment (PPE's)
 Respiratory Protection: Breathing apparatus in confined space areas.
 Hand Protection: Protective gloves for hypersensitive persons.
 Eye Protection: Protective glasses if applied to moving parts.
 Body Protection: Protective overalls.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Aerosol Form
 Odour Threshold: Not Determined
 Vapor Pressure: 20 kPa @ 25°C
 Boiling Point: 68.7°C (155.7°F)
 pH: Neutral
 Density, Typical: 0.80 kg/L
 Evaporation Rate (Butyl Acetate = 1.0): >8.4
 Odour: Strong Petroleum
 Specific Gravity, Typical: 0.80
 Vapor Density: 2.97 (air =1)
 % Volatile: 90
 Melting Point: -95.3°C (-139.5°F)
 Water Solubility: Nil

SECTION 10 - STABILITY AND REACTIVITY

Stability: Chemically stable under normal conditions.
 Photoreactive Agents: None
 Conditions to Avoid: Powerful sources of ignition, extreme temperatures.
 Materials to Avoid: Reactive and oxidizing agents.
 Hazardous Decomposition Products: May release CO_x, smoke and irritating vapors when heated to decomposition.

SECTION 11 - TOXICOLOGICAL INFORMATION

Exposure Limit of Material: See Section 2
 LC50 of Ingredients, Species and Routes: See Section 2
 LD50 of Ingredients, Species and Routes: See Section 2
 Teratogenicity, Embryotoxicity and/or Fetotoxicity: Not Available
 Mutagenicity: Not Available
 Effects of Long-Term (Chronic) Exposure: Long term dermal application may produce possible skin irritation. Elevated temperatures or mechanical action may form vapors or fumes. Inhalation of mists or vapors may cause irritation of the upper respiratory tract.
 Carcinogen: NTP: No IARC: No OSHA: No

SECTION 12 - ECOLOGICAL INFORMATION

Possible Effects: May generate oil fractions that could act as a marine pollutant, but is highly unlikely.
 Behavior: Relatively well behaved. Bioaccumulation potential nil.
 Environmental Fate: Will float and spread across water making it a nuisance contaminant.

SECTION 13 - DISPOSAL CONSIDERATIONS

Consult federal, provincial and local regulations for disposal of aerosol products.

SECTION 14 - TRANSPORT INFORMATION

TDG (Canada): The mixture is not specifically listed in the Canadian Transportation of Dangerous Goods regulations. Mixture contains hazardous components.

Shipping Name: AEROSOLS, Flammable
 UN No.: UN 1950
 Packing Group: None
 Classification: Class 2.1, Flammable Gases
 Labelling Requirements: Limited Quantities label for containment less than LQI of 6 L net contents per containment. Class 2.1 label if >6 L net contents per containment or large containment.
 Placard Requirements: Limited Quantities - None Required
 Large Containment - Class 2.1

SECTION 15 - REGULATORY INFORMATION

WHMIS: Classes A, B-5, D-2B
 DSL: All components listed.
 CPR Compliance: This product has been classified in accordance with the hazard criteria of the Controlled Product Regulations. The MSDS contains all of the information required by these regulations.

SECTION 16 - OTHER INFORMATION

CPR - Controlled Product Regulations
 DSL - Domestic Substance List
 LQI - Limited Quantity Index

As of issue date, the information contained herein is accurate and reliable to the best of Jet-Lube of Canada Ltd.'s knowledge. Jet-Lube of Canada Ltd. does not warrant or guarantee its accuracy or reliability and shall not be liable for any loss or damage arising out of the use thereof. It is the users' responsibility to satisfy themselves that the information offered for their consideration is suitable for their particular use.

Prepared By: **Jet-Lube of Canada Ltd. - Laboratory**
 Last Date of Revision: **August 7, 2007**