

# RuFF Rust Free Film

Heavy-Duty Rust & Corrosion Inhibitor



## TECHNICAL DATA SHEET

3820 - 97 Street, NW, Edmonton, Alberta Canada T6E 5S8 • Phone (780) 463-7441 Toll Free 1-888-771-7775 Fax (780) 463-7454 Toll Free 1-888-449-4449  
email: sales@jetlubecanada.com Web site: www.jetlubecanada.com

### DESCRIPTION

**Jet-Lube Rust Free Film (RuFF)** is a heavy-duty rust and corrosion inhibitor designed for use where there is high water and salt spray environments.

**RuFF** is formulated using natural products. It contains no solvents, is non-toxic and environmentally safe to use. It will not dry, crack or evaporate, providing superior protection for extended periods of time.

### APPLICATIONS

**RuFF** may be used to provide long term protection on steel from rust and corrosion for a variety of industrial, marine, aviation and oilfield applications.

Formulated to act as a high performance corrosion inhibitor that tenaciously adheres to all metals. **RuFF** offers superior protection from salt water spray, calcium and chloride, oxidation and other harsh conditions. Ideal for use on construction and farm equipment, trucks, trailers and storage of wear parts.

Special Non-Drying/Non-Hardening formula also makes **RuFF** an ideal lubricant to use on all metal to metal moving parts.

**RuFF** is ideal for use on vehicles as a protective undercoating. Spray or brush it onto exterior frame members and the underside of floors and fenders. It contains special additives to enhance its resistance to salt spray typically found in the harsh marine and offshore industries. **RuFF** can also be used to provide a penetrating and lubricating protective film on a wide variety of tools, equipment, anything that is exposed to the elements and needs protection from rust and corrosion.

- Prevents rust and corrosion
- Nontoxic
- Environmentally safe
- Will not dry, crack or evaporate
- Penetrates and lubricates
- Provides a long-lasting barrier

### Certification



### LIMITED WARRANTY

Jet-Lube of Canada makes the Limited Express Warranty that at the date of delivery, this product shall be free from defects in Jet-Lube of Canada Ltd. materials and workmanship.

This Limited Express Warranty is expressly in lieu of any other express or implied warranties, including any implied warranty of merchantability or fitness for a particular purpose, and of any other obligation on the part of Jet-Lube of Canada Ltd.

The sole remedy for breach of the Limited Express Warranty shall be the refund of the purchase price. All other liability is negated and disclaimed, and Jet-Lube of Canada Ltd. shall not be liable for incidental or consequential damages.

### PRODUCT SPECIFICATIONS

#### RuFF Aerosol

Fluid Type	Natural Woolwax
Color/Appearance	Clear Viscous Liquid
Density (kg/liter), Typical	0.85
pH:	7.0
Viscosity (Zahn Cup #2), Typical	22 seconds
Rotary Viscometer, 25°C	
L2, 30 RPM	38.3 cPs
L2, 60 RPM	48.1 cPs
L2, 100 RPM	57.9 cPs

Flash Point (ASTM D-1310) C.O.C. 175°C (347°F)

#### RuFF 9 Bulk

Fluid Type	Natural Woolwax
Color/Appearance	Dark Amber
Density (kg/liter), Typical	0.85
pH:	7.0
Viscosity (Zahn Cup #2), Typical	22 seconds
Rotary Viscometer, 25°C	
L2, 30 RPM	38.3 cPs
L2, 60 RPM	48.1 cPs
L2, 100 RPM	57.9 cPs

Flash Point (ASTM D-1310) C.O.C. 175°C (347°F)

#### RuFF 21 Bulk

Fluid Type	Natural Woolwax
Color/Appearance	Dark Amber
Density (kg/liter), Typical	0.90
pH	7.0
Viscosity (Zahn Cup #3), Typical	145 seconds
Rotary Viscometer, 25°C	
L4, 20 RPM	2478 cPs
L4, 50 RPM	1812 cPs
L4, 100 RPM	1476 cPs

Flash Point (ASTM D-1310) C.O.C. 175°C (347°F)

### PACKAGING

Inventory Code	Container Size	Container
RuFF Aerosol		
199141	340 g	Aerosol
RuFF 9 (Thinner Grade)		
199120	20 Liter	Pail
199175	205 Liter	Drum
RuFF 21 (Thicker Grade)		
144120	20 Liter	Pail
144175	205 Liter	Drum