

# TOP GUN™

## Wasp & Hornet Killer



### TECHNICAL DATA SHEET

3820 - 97 Street, NW, Edmonton, Alberta Canada T6E 5S8 • Phone (780) 463-7441 Toll Free 1-888-771-7775 Fax (780) 463-7454 Toll Free 1-888-449-4449  
email: sales@jetlubecanada.com Web site: www.jetlubecanada.com

#### DESCRIPTION

**TOP GUN™** Wasp & Hornet Killer's new and improved formula is ozone friendly and still eliminates wasps, hornets, yellow jackets and bees on contact. This powerful new **TOP GUN** formula still provides instant knockdown on contact and leaves a residual that prevents area infestation. Instant knockdown is accomplished when the fast evaporating "inert" fluid freezes the stinging insect while at the same time dewaxing its wings. The slow evaporating hydrocarbon fluid clogs the insects breathing ports causing it to suffocate. Finally, the synthetic pyrethrins provide the residual poison to kill the nest. JET-LUBE trigger nozzle allows fast, accurate, dense jet stream delivery from up to 15 feet for safe application in hard to reach places. **TOP GUN** is PMRA Approved (Reg. #29403) and has a dielectric strength of 35,000 volts.

Prior to use read all precautionary and application instructions on the label.

- Instant knockdown
- Kills on contact
- Accurate application
- Nonconductive
- 35 KV dielectric strength
- Indoor/Outdoor use
- PMRA Approved (Reg. #29403)
- Ozone friendly
- Nonflammable (CSMA Flame Projection Test)

#### APPLICATIONS

Use **TOP GUN** Wasp & Hornet Killer on wasps, hornets, yellow jackets and bees on HVAC equipment and enclosures, traffic signs, trees, cable television equipment, telecommunications equipment, telephone and utility poles, in attics and under eaves, transformers, electrical and water towers - any place with infestation.



#### PRODUCT SPECIFICATIONS

Spray Patter - Typical	4 Inch Diameter Stream @ 10 Ft.
Propellant	HFC
Solvent Type	Hydrocarbon
Pyrethrins, Wt. %	0.325
Specific Gravity	0.81*
Density (lb/gal)	6.75
Flash Point (ASTM D-92)	>63°C (145°F)
Dielectric Strength & Breakdown Voltage (ASTM D-877)	40.1 KV, Typical

\* Without Propellant

#### ACTIVE INGREDIENTS:

Tetramethrin (1-Cyclohexene-1, 2-dicarboximido methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate.....	0.200%
3-Phenoxybenzyl-(1RS, 3RS; 1RS, 3RS)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate.....	0.125%
INERT INGREDIENTS.....	99.675%

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC-DAY OR NIGHT AT 1-800-424-9300

#### Certifications

PMRA Approved Reg. #29403

#### PACKAGING

Inventory Code	Container Size	Container
51541	350 g	Aerosol

#### LIMITED WARRANTY

Jet-Lube of Canada makes the Limited Express Warranty that at the date of delivery, this product shall be free from defects in Jet-Lube of Canada Ltd. materials and workmanship.

This Limited Express Warranty is expressly in lieu of any other express or implied warranties, including any implied warranty of merchantability or fitness for a particular purpose, and of any other obligation on the part of Jet-Lube of Canada Ltd.

The sole remedy for breach of the Limited Express Warranty shall be the refund of the purchase price. All other liability is negated and disclaimed, and Jet-Lube of Canada Ltd. shall not be liable for incidental or consequential damages.